

imagePRESS
C270
C265

Canon
Delighting You Always

MULTIFUNCTIONAL

OFFICE PRODUCTION PRINTER



Business Can Be Simple

Today's marketplace necessitates the ability to be resilient and versatile while improving efficiency. At the same time, meeting tight deadlines with a lean staff requires equipment that's intuitive, adaptive, and reliable and can consistently produce work with minimal effort. Introducing the imagePRESS C270 Series of multifunction printers—an outstanding investment that's designed to deliver the workflow, user-centric control, and remarkable print quality that your essential work demands.

WORK EFFICIENTLY

EASY, INTUITIVE, AND CONSISTENT

The imagePRESS C270/C265 multifunction printers are designed to be in sync with how users work. All models feature a large 10.1" touchscreen that's responsive and intuitive, making operation clear and virtually seamless.

User-friendly techniques echo the operation of smartphones and tablets. When utilizing an imagePRESS or imageRUNNER ADVANCE DX model, the interface remains consistent, allowing work to proceed effortlessly and with a minimal learning curve.

A CUSTOMIZED EXPERIENCE

You can customize your experience to your personal preference. Once logged in, you can see your preferred default log-in screen and desired language; preferred settings for Copy, Send, Fax, and Store; accessibility settings; easy recall of previous job settings; and more—following you from compatible, networked device to device. You can also take advantage of single sign-on (SSO) to access and scan to available cloud destinations.¹

With Hot Folders, you can drag-and-drop files (PDF, JPG, or TIFF) to shared folders of Advanced Box on the MFP. Files are printed with the print settings set beforehand by the administrator for each specific folder. No driver is needed for this setup. This is an ideal solution for utilizing repetitive tasks and workflows and to help administrators manage drivers.

¹ Subscription to a third-party cloud service required. Subject to third-party cloud service providers' Terms and Conditions.





OFFICE **FUNCTIONALITY.** PROFESSIONAL **QUALITY.**

The imagePRESS C270 Series is the solution for all your printing needs. In any business, this versatile multi-function device easily handles your day to day document workflows while also giving you the option to print high quality marketing material.

OUTSTANDING PRODUCTIVITY

Some models in the imagePRESS C270 Series can reach maximum production speeds of up to 70/80 ppm (Colour/BW). Also, the Single Pass Duplex Colour Scanner converts paper documents into digital files up to 270/270 ipm at 300 dpi (Colour/BW).

KEEPS RUNNING

Slowdowns and interruptions can cost time and money. That's why Canon designed the imagePRESS C270 Series with a range of impactful features that can help maximize productivity. Outstanding toner, drum, and part yields can help you by minimizing downtime so you can complete required tasks. Even better, toner and paper can be replenished on-the-fly—no need to interrupt printing.

VAST MEDIA SUPPORT

Print your work on the stock that makes the right impact. The imagePRESS C270/C265 support a wide variety of media, including coated and heavy stocks up to 350 gsm. Extend your reach by printing on specialty stocks, including tabs, envelopes, and even long sheet up to 1,300 mm.

A standard paper capacity of up to 3,300 sheets³ helps long jobs run without having to stop for paper replenishment.

WORK EASIER

The interface was designed for maximum ease of use. Functions are quickly initiated with clearly identifiable on-screen buttons that can be organized to fit the way you work. Repetitive or complicated tasks can be assigned to a single button on the interface, speeding workflow through less manual intervention.

² Options required.

³ Capacity based on 80 gsm A4.

EXCEPTIONAL EASE



BRILLIANT QUALITY

INNOVATION THAT DELIVERS

Canon's noted expertise in colour imaging and its ongoing commitment to R&D have resulted in a range of advanced technologies that are designed to deliver outstanding image quality time after time.

MAKE A BRILLIANT IMPRESSION

This next-generation imaging solution incorporates stunning image quality at production speeds. Output crisp, colour images with remarkable clarity at high speeds with the state-of-the-art Red VCSEL technology of the imagePRESS C270 Series.

READY FOR SMOOTH AND ROUGH SURFACES

The combination of the flexible transfer belt and Simple Transfer Adjustment technology allows the toner to fill the peaks and valleys of your textured and embossed stocks, producing high-density images for custom and premium applications.

RICH, CLEAR, VIVID IMAGES

By allowing the surface properties of the media to show through Canon's translucent CV Toner, the press can help produce amazingly vibrant and vivid images across the entire sheet surface on a wide variety of media, including textured stocks.

OUTSTANDING STABILITY


Maintaining a consistent environment and automatic measuring of density patches combine to help you reproduce your colour output and branding to your elevated expectations.




TECHNOLOGY OVERVIEW



R-VCSEL LASER TECHNOLOGY
Advanced 32-beam red VCSEL laser delivers 2,400 x 2,400 dpi, outputting detailed colour images with outstanding definition at high speeds.



MULTI D.A.T. TECHNOLOGY
Multi-gradation density patches are measured and corrected during production automatically, which helps ensure consistent halftones during production.



**ADVANCED IMAGING
TRANSFER BELT**
Flexible belt presses the toner into the media, enabling a high-density image transfer onto embossed and textured stocks.



TRANSLUCENT CV TONER

Helps produce consistent, vivid, and crisp images on a wide range of media with a realistic, offset-like finish.



LOOP SENSOR CONTROL

Controls media alignment throughout printing to help maintain high quality on heavy, coated, and banner stocks.



SECURITY FEATURES

Control who has access to the device – and to which features – using a host of flexible authentication methods, such as picture log-in, PIN code, user name/password, or card access.⁵



WORKFLOW EFFICIENCY

A unique, customized experience tailored to individual preferences is delivered on a 10.1" intuitive touch-screen.



COST MANAGEMENT⁵

Apply print policies and restrict usage by user to help reduce unnecessary printing and contribute to cost efficiency.



DEVICE AND FLEET MANAGEMENT⁵

uniFLOW Online** captures, archives and shares information, so you can centralise control of all document workflows and make collaboration easier

⁵ Optional accessories may be required.



WHITE PAPER IN — **CAPTIVATING PRODUCT OUT**

With advanced paper handling and multiple finishing capabilities, the imagePRESS C270/C265 can handle a wide range of jobs efficiently and cost-effectively. From professional punching to folding and saddle-stitching, you can have the ability to satisfy more people and keep more in-house

FINISHING OPTIONS



Document Inserting

Enables the insertion of slip sheets or preprinted covers for booklets and complex jobs.



Staple Finishing

Corner and double-side staple up to 65 or 100 sheets⁶ in stacks up to 3,500 or 5,000 sheets.⁶ A side jogger helps keep media in straight or offset stacks.



Paper Folding

Offer promotional pamphlets, brochures, and more with the ability to produce Z-fold, C-fold, accordion fold, and double-parallel fold documents.



Professional Punching

Ideal for manuals, reports, and presentations, this module offers numerous die patterns to take some of the manual labor out of the binding process.



Saddle Finishing

Create saddle-stitched booklets up to 80 or 100 pages⁶ on paper sizes up to 13" x 19.2". Saddle Press technology applies additional pressure when folding to help booklets exit flat.⁸



Booklet Trimming

Trim up to 1.1" off the face-side of the book for that professional-looking edge. Help maintain high productivity with a large-capacity trim waste bin and on-the-fly waste removal for continuous production.

FEEDING OPTIONS



Stack Bypass (Standard)

Provides an additional capacity of up to 250 sheets.⁶ Supports all paper types and stocks in weights up to 350 gsm. Cover and banner sheets up to 1300 mm in length.⁷



A4 Paper Deck

Designed for locations with higher enterprise work, this deck holds up to 3,500 sheets⁶ of A4-sized stocks and in weights up to 256 gsm.



POD Deck Lite

Designed for locations with space restrictions, this deck's 3,500-sheet⁶ capacity with Air Assist and Air Separation supports paper sizes up to 13" x 19.2" and envelopes in a range of sizes and weights up to 350 gsm.


⁶ Capacity based on 80 gsm A4.

⁷ Optional accessories may be required.

⁸ Saddle Press technology only available on the Booklet Finisher-AG1.



SECURITY



With confidential data regularly moving between a user's desktop, mobile device, and MFP, it's important to take measures to help protect your print environment. The imageRUNNER ADVANCE platform offers a range of security capabilities to help facilitate the confidentiality, accessibility, and availability of your information.



PREVENTIVE SECURITY

Ensure your device security during initialisation with system verification at startup, which provides protection against unknown firmware from being installed. With syslog protocol, real time security information can also be fed to a third party solution for a complete monitoring protection.



DEVICE SECURITY

Canon is serious about protecting your organisation's confidential information, your ability to control access, and the availability of your company data. With multiple authentication methods to choose from, you can control and limit users access to your devices, prevent unauthorised distribution of sensitive information. Visual and audible original reminder notifications can alert you to sensitive documents that are left at the device. ensuring confidentiality.



DATA AND NETWORK SECURITY

Canon's multilayered security solutions help safeguard sensitive data stored on the device and during transmission:

- HDD/ SSD Initialise removes and overwrites all data on the hard disk/solid state drive at the end of life.
- HDD Data Encryption helps protect information even after hard drive removal and it's now FIPS 140-2 validated on select models.
- IPsec helps provide security for data as it traverses the network.
- SMB 3.0 provides communication route encryption, which enables files to be transmitted to SMB3.0 servers more securely.
- TPM 2.0 (Trusted Platform Module) securely stores encryption keys, such as passwords on select models. to be transmitted to SMB3.0 servers more securely.

imagePRESS Server M20

Fiery FS500

Get the most out of your Canon imagePRESS C265/C270 printer by combining it with the imagePRESS Server M20, to deliver high quality output with exceptional productivity.

MORE PAGES IN LESS TIME

- With the innovative Fiery® FS500 software, productivity is taken to its maximum expression with a combination of processing power, management and automation tools to take the most out of your printer.
- Increase your production, reduce errors, plus make job management faster and more efficient with Fiery Command WorkStation®.with native processing of PDF files with Adobe PDF Print Engine.

FIRST CLASS AUTOMATION TOOLS

- Use server presets to make job submission fast and error-free. Or add the optional Fiery Automation Package to reduce job touchpoints and make your workflow even more efficient.
- Use the Fiery TrueBrand® application to print accurate brand colours from Microsoft Office applications in just a few clicks. No advanced colour knowledge required!
- The new optional Fiery JobExpert and PDF Processing Kit automatically sets the optimal job properties to achieve the highest print quality with the minimum processing time along with native processing of PDF files with Adobe PDF Print Engine.
- Offer personalised printing with the Fiery FreeForm™ Create. Quickly personalise existing files by adding variable elements such as text, images, or barcodes with just a few clicks.



ENHANCED PRODUCTIVITY AND QUALITY TO MEET YOUR REQUIREMENTS

Server Specification

Fiery Driven™ engines

- Canon imagePRESS C265/C270 Hardware and platform
- Intel® Pentium® G5400 Processor
- 8 GB RAM
- 500 GB HDD
- Linux operating system
- Fiery Installer Builder
- Fiery FS500 software

File format support

- Adobe® PostScript® Levels 1, 2, 3
- Adobe PDF
- Enhanced PCL® 6/PCL 5
- MS Office document formats (doc/x xls/x, ppt/x, pub/x) via the Fiery driver or Fiery Hot Folders

Fiery colour and imaging technology

- Fiery ColorWise® colour management technology
- Fiery Edge™ colour profiles
- Fiery Calibrator
- Fiery TrueBrand
- PANTONE® Color Enabled
- Image smoothing
- Fiery Spot-On™
- Fiery Image Enhance Visual

Editor (requires Fiery ColorRight Package)

- Auto trapping
- Adobe interpreter support
- CPSI version 3020
- Adobe PDF Print Engine® 5.51 (optional)

Device management and analytics

- EFI™ IQ™: Dashboard, Insight, Notify, Go
- EFI ColorGuard™ (optional)
- EFI Manage4 (optional)

Performance

- SmartRIP
- Spool-RIP-print simultaneously
- Scan-RIP-print simultaneously

Productivity and workflow

- Fiery Command WorkStation®
- Fiery Hot Folders and Virtual

Printers

- Fiery JobExpert (optional)
- Fiery drivers for Windows and Mac®
- Fiery WebTools™
- Booklet Maker
- Direct mobile printing
- Fiery Go (Android® and iOS)
- Print Time Estimation

Variable data printing

- Fiery FreeForm™ Create
- Supported file formats include Fiery FreeForm Plus, PDF/VT-1 (optional), Optimised Postscript® and PDF
- VDP record range printing
- Define record length
- Record and set level finishing support
- VDP raster preview

Integration

- Canon Uniflow compatible
- Fiery JDF v1.8 (optional)
 - EFI MIS and Web-to-Print integration ready
 - Prepress workflow integration (Agfa® Apogee, Kodak® PRINERGY, Heidelberg® Prinect)

Optional Fiery software and hardware

- Fiery Automation Package¹
 - Rush Print, Schedule Print, Print/Process Next, Fiery Preflight, Fiery JobFlow™ Base, Fiery JDF
- Fiery ColorRight Package¹
 - Fiery Spot Pro, Fiery ImageViewer, Fiery Image Enhance Visual Editor, Fiery Postflight, Control Bar
 - Fiery JobExpert and PDF Processing Kit
 - ° Fiery JobExpert. Adobe PDF Print Engine, PDF/VT-1 support
- Fiery Impose¹
- Fiery Compose¹
- Fiery JobMaster™¹
- Fiery JobFlow¹ (requires Fiery Automation Package)
- Fiery Color Profiler Suite²
- ES-3000 spectrophotometer
- Adobe® Acrobat® Pro 2020 Kit

SECURITY

- Secure erase, Security Profiles, Security Audit Logs
- Port blocking, IP filtering, 802.1x authentication, IPsec encryption, HTTPs with TLS 1.3 support
- Enhanced certificates management. Fiery self-signed certificates are recreated automatically
- Secure printing, PostScript security, USB security
- Closed architecture
- Digitally signed software updates

NETWORKING/CONNECTIVITY

- TCP/IP, AppleTalk, Bonjour support, SNMP, Port 9100, IPP, FTP, SMB, WSD, point and print, print via email (PS/PDF), IPv6 support
- EMC
- FCC and ICES (US & Canada)
- CE Mark (EU)
- RCM (Australia & New Zealand)
- CCC (China)
- BSMI (Taiwan)
- KC - Korea
- NEMKO
- CMIM Mark (Morocco)

SAFETY

- CB Scheme
- TÜV/CU Mark (Canada and US)
- TÜV/GS Mark (EU)
- CE Mark (EU)
- CCC (China)
- NEMKO - N-Mark
- BSMI (Taiwan)

POWER SUPPLY AND CONSUMPTION

- Auto-switching: 100-240 VAC
- 50/60 Hz, 3 Amps @100 VAC
- 1.5 Amps @240 VAC
- Maximum / typical power usage: 80 W / 30 W

¹ - Free 30-day trial available

² - Free trial in demo mode

EFI™ is a global technology company, leading the worldwide transformation from analog to digital imaging. We are passionate about driving customers' business growth with a scalable portfolio of products, solutions, services, and world-class partnerships for the manufacturing of signage, packaging, textiles, ceramic tiles, building materials, commercial print, and personalised documents with a wide range of printers, inks, digital front ends, and workflow software. They work together to increase profits, cut costs, improve productivity, and optimise efficiency - job after job, year after year. Learn more at www.efi.com

PRODUCT SPECIFICATION



MAIN UNIT - A3 Colour Laser Multifunctional

Core functions	Print, Copy, Scan, Send, Store and Optional Fax		
Processor	1.8GHz Dual Core Processor		
Printing method	Colour Laser Beam Printing		
Control Panel	Standard	5.6 cm (10.1 inch) TFT LCD WSVGA Colour Touch panel	
Memory	Standard Main CPU Side Image Processing CPU Side	5 GB RAM 2 GB 2 GB + 1 GB (Reserved for Imaging Processing)	
Hard Disk drive	Standard GB Optional	SSD 256 GB SSD 1 TB	
Interface Connection	NETWORK Standard Optional OTHERS Standard Optional	1000Base-T/100Base-TX/10Base-T, Wireless LAN (IEEE 802.11 b/g/n) NFC, Bluetooth Low Energy USB 2.0 (Host) x2, USB 3.0 (Host) x1, USB 2.0 (Device) x1 Serial Interface, Copy Control Interface	
Network Protocols	TCP/IP (FTP, SMTP, POP, HTTP, SNMP, LDAP, SLP, SMB, LPD, IPP, WS-Discovery, Bonjour, Direct Mobile Printing, Port 9100, SNMP, 802.1X, DHCP, DNS, NTP)		
Paper Supply Capacity (A4, 80gsm)	Standard: 3,550 sheets Maximum: 7,050 sheets	250-sheet Multi-Purpose tray 1,100-sheet Paper Deck x 2, 550-sheet Paper Cassette x 2, with POD Deck Lite-C1 or Paper Deck Unit-E1	
Paper Supply Capacity (A4, 80gsm)	Standard: 250 sheets Maximum: 3,500 sheets Maximum: 5,000 sheets	with Copy Tray-R2 with Staple Finisher-AC1 or Booklet Finisher-AC1 with Stapler Finisher-AG1 or Booklet Finisher-AG1	
Finishing Capabilities	With options: Collate, Group, Offset, Staple, Saddle Stitch, Hole Punch, Eco Staple, Staple On Demand, Document Insertion, Z-fold, Half-fold, C-fold, Accordion-Z fold, Double Parallel-fold, Trimming.		
Supported Media Types	Multi-purpose tray: Paper Decks (Right/Left): Paper Cassettes: (Upper/Lower)	Thin, Plain, Recycled, Colour, Heavy, Coated, Textured, Tracing, Bond, Transparency, Label, Pre-punched, Letterhead, Tab, Envelope Thin, Plain, Recycled, Colour, Heavy, Tracing, Bond, Transparency, Bond, Pre-punched, Letterhead Thin, Plain, Recycled, Colour, Heavy, Bond, Transparency, Pre-punched, Letterhead, Tab ^{*1} , Envelope ^{*2}	
Supported Media Sizes	Multi-purpose tray Paper Decks (Right/Left) Paper Cassettes (Upper/Lower)	Standard size Custom size Long size Free size Envelope Envelope custom size Standard size Standard size Custom size Envelope Envelope custom size	SRA3, A3, A4, A4R, A5, A5R, A6R, B4, B5, B5R 90.0 x 148.0 mm to 330.2 x 487.7 mm 210.0x487.8 mm to 330.2x1,300.0mm ^{*1} 100.0 x 148.0 mm to 330.2 x 487.7 mm COM10 No.10, Monarch, DL, ISO-C5 90.0 x 148 mm to 330.2 x 487.7 mm A4, B5 SRA3, A3, A4, A4R, A5, A5R, A6R, B4, B5, B5R 139.7 x 182.0mm to 330.2 x 487.7mm COM10 No.10, Monarch, DL, ISO-C5 98.0 x 148.0mm to 330.2 x 487.7mm
Supported media weight	Multi-purpose tray Paper Deck (Right/Left)	52 to 350 gsm 52 to 220 gsm	Paper Deck (Right/Left) Duplex 52 to 220 gsm 52 to 220 gsm
Warm-up Time	Quick Startup Mode From Power On From Sleep Mode	4 seconds or less (Time until key operations can be performed on the touch panel display) 30 seconds or less (Time until it becomes possible to start copying) 30 seconds or less	
Dimensions (W x D x H)	689 x 937 x 1,185 mm		
Installation Space (W x D)	Basic Fully Configured Fully Configured	2,026 x 1,524 mm (with Front door open + Multi-purpose tray/upper-right cover open + Buffer Pass-M1 + Booklet Finisher-AC1/extension tray & rotary tray extended) 2,621 x 1,524 mm (with POD Deck Lite-C1 + Buffer Pass-M1 + Document Insertion Unit-Q1 + Booklet Finisher-AC1/extension tray extended) 5,900 x 1,524 mm (with Multi Drawer PD-E1 + Stack Bypass Tray-B1 + Buffer Pass-M1 + Insertion Unit-R1 + Paper Folding Unit-K1 + Booklet Finisher-AG1+ Booklet Trimmer G1 + 2-Knife Trimmer-G1 + Trimmer Conveyor-B1/extension tray extended)	
Weight	Approx. 261 kg (including toner)		

Product images are for illustration purposes only. Certain functions are optional. Please refer to the product specifications or contact your Canon sales representative for further details.

PRINT SPECIFICATIONS - Colour Laser Beam Printing (Electronic Photography)

Print Speed A4 <small>*A5/A6R (1-sided)</small>	imagePRESS C265 65 ppm CL and 70 ppm BW (A4, A5*, A5R, A6R*) 32 ppm CL and 35 ppm BW (A3)	imagePRESS C270 70 ppm CL and 80 ppm BW (A4, A5*, A5R, A6R*) 35 ppm CL and 40 ppm BW (A3)
Monthly Duty Cycle	imagePRESS C265 - 330,000 pages	imagePRESS C270 - 390,000 pages
Target (Max) Print/ Copy	Up to 100,000 pages per month	
Alignment Tolerance	Cross track: 2.0 mm or less, In track: 1.2mm or less	
Print Resolution (dpi)	2,400 dpi x 2,400 dpi	
Page Description Languages	Standard UFR II, PCL6 Option Adobe Postscript 3	
Direct Print <small>*Only PDF print from websites is supported.</small>	Direct printing available from USB memory, Advanced box, Remote UI and Web Access* Supported File Types: PDF, TIFF, JPEG, EPS, XPS	
Fonts	PCL fonts: 93 Roman, 10 Bitmap fonts, 2 OCR fonts, Andalé Mono WT J/K/S/T* (Japanese, Korean, Simplified and Traditional Chinese), Barcode fonts** <small>*Requires optional PCL INTERNATIONAL FONT SET-A1 **Require optional BARCODE PRINTING KIT-D1</small>	
Print Features	Secured Print, Watermark, Header/Footer, Page Layout, Two-sided Printing, Mixed Paper Sizes/Orientations, Front/Back Covers, Toner Reduction, Poster Printing, Forced Hold Printing, Scheduled Printing, Printing Using a Virtual Printer	
Operating System	UFR II PCL PS (Driver) PPD	Windows® 8.1 / 10 / 11 / Server 2012 / Server 2012 R2 / Server 2016 / Server 2019 / Server 2022, Mac OS X (10.11 or later), Windows® 8.1 / 10 / 11 / Server 2012 / Server 2012 R2 / Server 2016 / Server 2019 / Server 2022, Mac OS X (10.11 or later), Windows® 8.1 / 10 / 11 / Server 2012 / Server 2012 R2 / Server 2016 / Server 2019 / Server 2022, Mac OS X (10.11 or later)

COPY SPECIFICATIONS

Copy Speed (CL/BW)	imagePRESS C265 65 / 70 ppm: A4, A5*, A5R, A6R* 46 / 49 ppm: A4R 32 / 35 ppm: A3	First-Copy-Out Time	Approx. 4.8/5.9 seconds or less
	imagePRESS C270 70 / 80 ppm: A4, A5*, A5R, A6R* 49 / 56 ppm: A4R 35 / 40 ppm: A3 <small>*1-sided</small>	Copy resolution (dpi)	600 x 600
		Multiple Copies	Up to 9,999 copies
		Copy Density	Automatic or Manual (9 Levels)
		Magnification	25% - 400% (1% Increments)
		Preset Reductions	25%, 50%, 70%, 100% (1:1)
		Preset Enlargements	141%, 200%, 400%

SCAN SPECIFICATIONS

Type	Single-pass Duplexing Automatic Document Feeder* [2-sided to 2-sided (Automatic)]	<small>*Detect Feeder Multi Sheet Feed is supported.</small>
Document Feeder Paper Capacity	Up to 200 Sheets (80 gsm)	
Acceptable Originals and Weights	Platen: Sheet, Book, 3-Dimensional Objects Document Feeder Media Weight: 1-sided scanning: 38 to 220 gsm (BW/CL) 2-sided scanning: 38 to 220 gsm (BW/CL) <small>*An acceptable weight of A6R or smaller is 50 to 220gsm.</small>	
Supported Media Sizes	Platen Max. Scanning Size: 297 x 431.8mm	
	Document Feeder Media Size: A3, A4, A4R, A5, A5R, B4, B5, B5R, B6R	
	Custom Size: 70.0 x 139.7 mm to 304.8 x 431.8 mm	
Scan Speed (ipm: BW/CL, A4)	Single-sided Scanning: 135/135 (300 x 300 dpi, send), 80/80 (600 x 600 dpi, copy) Double-sided Scanning: 270/270 (300 x 300 dpi, send), 160/90 (600 x 600 dpi, copy)	
Scan Resolution (dpi)	Scan for Copy: 600 x 600 Scan for Send: (Push) 600 x 600 (SMB/FTP/WebDAV/IFAX), (Pull) 600 x 600 Scan for Fax: 600 x 600	<small>*Requires Envelope Feeder Attachment-G1</small>
Pull Scan Specifications	Color Network ScanGear2. For both Twain and WIA Supported OS: Windows® 8.1 / 10 / 11 / Server 2012 / Server 2012 R2 / Server 2016 / Server 2019 / Server 2022	

SEND SPECIFICATIONS

Destinations Address book	E-mail/Internet FAX (SMTP), SMB v3.0, FTP, WebDAV, Mailbox, Super G3 FAX (Optional), IP Fax (Optional) LDAP (2,000) / Local (1,600) / Speed dial (200)
Scan Resolution (dpi)	600 x 600
Communication Protocol	File: FTP (TCP/IP), SMB v3.0, WebDAV E-mail/I-Fax: SMTP, POP3
File Format	TIFF, JPEG, PDF (Compact, Searchable, Apply policy, Optimize for Web, PDF/A-1b, Trace & Smooth Encrypted, Device Signature, User Signature), XPS (Compact, Searchable, Device Signature, User Signature), Office Open XML (PowerPoint, Word)
Universal Send	Original Type Selection, Two-sided Original, Book to Two Pages, Different-size Originals, Density Adjustment, Sharpness, Copy Ratio, Erase Frame, Job Build, Delayed Send, Preview, Job Done Notice, File Name, Subject/Message, Reply-to, Email Priority, TX Report, Original Content Orientation, Skip Blank Pages

FAX SPECIFICATIONS

Maximum Number of Connection Line	1	Speed Dials	Max. 200 dials
		Group Dials/Destinations	Max. 199 dials
Modem Speed	Super G3: 33.6 kbps G3: 14.4 kbps	Sequential Broadcast	Max. 256 addresses
Compression Method	MH, MR, MMR, JBIG	Memory Backup	Yes
Resolution (dpi)	400 x 400 (Ultra Fine), 200 x 400 (Super Fine), 200 x 200 (Fine), 200 x 100 (Normal)	Fax Features	Sender's Name (TTI), Selecting the Telephone Line (when sending fax), Direct Send, Delayed Send, Preview, Job Done Notice, TX Report, Interrupt Transmission, Sequential broadcasting, Password/ Sub-address Sending, Confidential Mailbox, 2 on 1 Log
Sending/Recording Size FAX Memory	A3, A4, A4R, A5* ¹ , A5R* ¹ , B4, B5* ² , B5R* ¹ Up to 30,000 pages (2,000 jobs)		

INPUT ACCESSORY SPECIFICATIONS

POD Deck Lite-C1	Paper Capacity	3,500 sheets (80 gsm)	
	Paper Types	Thin, Plain, Recycled, Color, Thick, Pre-punched, Label, Letterhead, Bond, Coated, Transparency, Tab, Tracing, Envelope, Textured	
	Paper Size	Standard size:	A3, A4, A4R, A5R, B4, B5, B5R, Envelope [No.10 (COM10), Monarch, DL, ISO-C5] Custom size: 139.7mm x 148.0 mm to 330.2mm to 487.7mm <small>*Requires Envelope Feeder Attachment-G1</small>
	Paper Weight	52 to 350 gsm	
	Power Source	220-240V/1.2A 50/60Hz	
	Dimensions	(W x D x H) 633mm x 686mm x 574 mm (attached to the main unit)	
	Weight	Approx. 68.0 kg	
Stack Bypass Tray-D1 (Multi-purpose tray)	Paper Capacity	250 sheets (80 gsm)	
	Paper Types	Thin, Plain, Recycled, Thick, Color, Transparency, Label, Tracing, Envelope, Coated, Textured, Bond, Pre-punched, Letterhead, Tab	
	Paper Size:	Standard size:	A3, A4, A4R, A5, A5R, A6R, B4, B5, B5R, Envelope [No.10 (COM10), Monarch, ISO-C5, DL] Envelope custom size: 90.0 x 148.0 mm to 330.2 x 487.7 mm Custom size: 100.0 x 148.0 mm to 330.2 x 487.7 mm Free size: 100.0 x 182.0 mm to 330.2 x 487.7 mm Long sheet*: 210 x 487.8 mm to 330.2 x 1,300 mm <small>*Requires Long Sheet Tray-B1 and Stack Bypass Alignment Tray-D1</small>
	Paper Weight	52 to 350 gsm	
	Paper Capacity	3,500 sheets (80 gsm)	
Paper Deck Unit-E1	Paper Types	Thin, Plain, Recycled, Color, Thick, Pre-punched, Letterhead, Bond	
	Paper Size	A4, B5, LTR* <small>*Media size change requires service technicians</small>	
	Paper Weight	52 to 256 gsm	
	Power Source	From the Main Unit	
	Dimensions	(W x D x H) 340mm x 630mm x 572 mm (attached to the main unit)	
	Weight	Approx. 34.0 kg	

OUTPUT OPTIONS

Copy Tray	Copy Tray-R2 Provides a simple tray for basic output needs. Capacity: 250/100 sheets (1-sided/2-sided, 80 gsm)	
Staple Finisher-AC1	<u>Upper Tray</u> A4/A5/A5R/B5: 250 sheets, SRA3/A3/A4R/B4/B5R: 125 sheets, Envelope: 30 sheets	<u>Paper Weight</u> Upper Tray / Mid Tray: 52 to 256 gsm Lower Tray: 52 to 350 gsm
	<u>Mid Tray:</u> A4/A5/A5R/B5 250 sheets, SRA3/A3/A4R/B4/B5R: 125 sheets Envelope: 30 sheets.	<u>Staple Position</u> Corner, Double
	<u>Lower Tray:</u> A4/A5/A5R/B5: 3000 sheets (80 gsm), SRA3/A3/A4R/B4/B5R: 1500 sheets (80 gsm) A6R: 250 sheets (80 gsm) Envelope: Monarch: 30 sheets, COM10 No.10, DL, ISO-C5: 100 sheets	<u>Staple Capacity</u> A4/B5: 65 sheets (52-90 gsm), A3/A4R/B4: 40 sheets (52-90 gsm)
		<u>Eco Staple</u> A3/A4: 10 sheets (52 to 64 gsm) 8 sheets (65 to 81.4 gsm) 6 sheets (82 to 105 gsm)
		<u>Staple On Demand:</u> 65 sheets (52 to 90 gsm)
		<u>Power Source:</u> From the main unit
		<u>Dimensions (WxDxH):</u> 527 (Max 656*) x 623 x 1,099 (Max 1,195*) mm <u>Weight:</u> Approx. 36 kg
Booklet Finisher-AC1 (External) (Includes the above Staple Finisher-AC1 basic staple specifications)	Booklet Stitch Paper Size: A3, A4R, B4, Custom size (195 x 270 mm to 304.8 x 457.2 mm) Booklet Stitch Paper Weight: Body sheet 52-220 gsm, Cover sheet 52-256 gsm Booklet Stitch Staple Capacity: 20 sheets x10 sets (52-81.4 gsm) Non-Staple Folded Bunch Capacity: up to 3 sheets (52-105 gsm) Power Source: From the main unit Dimensions (W x D x H): 527 (Max 656*) x 623 x 1,099 (Max 1,195*) mm Weight: Approx. 60 kg	
Finisher Jogger Kit-A1	Attached to the Lower Tray of either the STAPLE FINISHER-AC1 or BOOKLET FINISHER-AC1 Paper Size: <Non-Sort> A3, A4, A4R, B4, B5, B5R, <Bunch Shift> A3, A4, A4R, B4, B5 Paper Weight: <Non-Sort> 52-300 gsm, <Bunch Shift> 52-256 gsm	
Staple Finisher-AG1 (External) Requires the Accessory Interface Kit-A2	<u>Upper Tray Capacity:</u> SRA3/A3/A4/A4R/A5/A5R/A6R/B4/B5/B5R: 1,000 sheets (64-324 gsm), 200 sheets (325-350 gsm) Long sheet** (210 x 487.8 mm to 330.2 x 762 mm) 100 sheets (52-79 gsm)	<u>Paper Weight</u> 52-350 gsm
		<u>Staple Position</u> Corner, Double
		<u>Staple Capacity</u> (including Staple On Demand): A4/B5: 100 sheets (52-80 gsm) A3/A4R/B4/B5R: 50 sheets (52-81.4 gsm)
	<u>Lower Tray Capacity:</u> A4/B5: 4,000 sheets*3 (64-324 gsm), 400 sheets (325-350 gsm) A3/B4: 1,500 sheets*4*5 (80 gsm), SRA3/A3/A4R/B4: 1,000 sheets (64-324 gsm), 200 sheets (325-350 gsm) B5R: 1,000 sheets (64-324 gsm), 200 sheets (325-350 gsm)	<u>Power Source</u> 220-240V, 50-60Hz, 8A
		<u>Dimensions</u> (W x D x H): 860 x 792 x 1,239 mm (When the extension tray is extended)
	<u>Weight</u> Approx. 130 kg	<small>*1 301-350 gsm: 200 sheets regardless of size **2 Optional LONG SHEET TRAY-B1 is required</small>
Booklet Finisher - AG1 (External) Requires the Accessory Interface Kit-A2	Includes the above Staple Finisher-AG1 basic staple specifications Saddle Stitch Paper Size: SRA3, A3, A4R, B4, Custom size (210.0 x 279.4 mm to 330.2 x 487.7 mm) Saddle Stitch Staple Capacity: 25 sheets (52-80 gsm) (Including 1 cover sheet) Power Source: 220-240V, 50-60Hz, 8A Dimensions (W x D x H): 1,060 x 792 x 1,239 mm (when the extension tray is extended) Weight: Approx. 180 kg	