

FUJITSU Image Scanner fi-7700S

Heavy-duty & flexible production scanner for professional use



Stable and smooth scanning of a large volume of documents or various types of documents

The fi-7700S allows you to scan A4 landscape documents at 75 ppm (200/300 dpi). The scanner is suitable for continuous scanning because it allows you to load up to 300 sheets of documents at at a time. It helps improve efficiency for scanning a large volume of documents. In addition, various types of documents, such as thin paper, plastic cards, books, magazines, envelopes, and long page documents can be scanned on this scanner.



■ Mechanism for stable paper feeding and ejecting that prevents document damage and paper feeding failure

Scan various types of business documents with a single scanner

The straight paper path structure that reduces the load on a document that is being fed, assures stable scanning regardless of the condition and type of a document. By simply changing the feed mode to non separation mode, you can easily scan thick documents such as drawings folded in half, multi-layered receipts, and envelopes with the same straight paper path operation.

Protect important information by preventing missing edges and document damage

Skew Reducer helps improve the feeding performance significantly and prevents a scanned image from missing an edge. Paper Protection minimizes the risk of document damage and protects your important documents by detecting abnormalities in sound and document length.

■Design that meets the user's needs

The fi-7700S helps improve the efficiency of operations by providing a variety of functions that make scanning easier for the user.

•Fully utilize allocated space with its flexible design

The scanner is equipped with an ADF that can slide to the right or to the left or rotate by 180 degrees. A user can load documents easily for scanning by adjusting the ADF to suit the user's office or workspace environment. Operational panel is equipped with an LCD screen to let user easily check the status of the scanner.



180 degrees movable ADF

Reduce the workload before and after scanning from setting to collecting

When setting documents, you can easily align the edges of the documents with independent side guides even if the size of each document varies. For collecting documents, Stacker Side Guide reduces the time and effort that are required for aligning and putting away documents after a scan to prevent ejected documents from being unevenly stacked or aligned. Even when scanning with the flatbed, you can consecutively scan thick, fragile or bound documents with the document cover open, which results in smoother scanning flow.

■Advanced software for your work efficiency

•Connect your business workflow with PaperStream IP and PaperStream Capture

The PaperStream IP scanner driver, which supports TWAIN/ISIS, avoids the inconvenience of fine setting adjustments for OCR processes. It automatically converts the images into exceptionally clean images, accelerating OCR even when scanning wrinkled or soiled documents, or documents with a background pattern. With an intuitive interface, PaperStream Capture effectively and efficiently allows you to feed information into your organization's workflow through various capture features during batch scanning.

Barcode recognition, automatic sorting, and indexing

You can focus on routine tasks (batch scanning) and configure the scanner to create folders that are divided with barcodes or patch codes as well as automatically sort scanned images to save or index them. The automatic selection of a scanning soit stailined images to save of index trieff. The administrate selection of a scanning mode according to each patch codes allows you to load a mixed batch of documents with different types of documents at the same time. The usability for administrators and users is taken into consideration for image processing, which has made simple operations possible and has improved productivity, so that less work is required for users to sort scanned images.

ı	■fi-7700S	Techn	ical Specificati	ons
	Description	1	•	fi-7700S
Supported operating systems			g systems	Windows® 10 (32-bit/64-bit), Windows® 8.1 (32-bit/64-bit), Windows® 7 (32-bit/64-bit), Windows Server® 2016 (64-bit), Windows Server® 2012 R2 (64-bit), Windows Server® 2012 (64-bit), Windows Server® 2008 R2 (64-bit), Windows Server® 2008 (32-bit/64-bit)
	Scanner type			ADF (Automatic Document Feeder) + Flatbed
ı	Scanning m			Simplex / Color / Grayscale / Monochrome
Image sensor type				Color CCD (Charge-coupled device) x 2 (front x 1, Flatbed x 1)
ı	Light source			White LED Array x 4 (front x 2, Flatbed x 2)
ı				Ultrasonic multi-feed detection sensor, Paper detection sensor
Multifeed detection				
ŀ	Paper protection			Warp detection, iSOP (intelligent sonic paper protection)
	Document -	ADF	Maximum	304.8 x 431.8 mm (12 x 17 in.)
			Minimum	50.8 x 69 mm (2 x 2.7 in.) (Portrait)
		Long page scanning	Maximum*1	304.8 x 5,588 mm (12 x 220 in.)
		Flatbed	Maximum	304.8 x 457.2 mm (12 x 18 in.)
	Paper weig	ht	Paper	20 to 413 g/m ² (5.3 to 110 lb), A8 size: 128 to 209 g/m ² (34 to 56 lb)
	(Thickness)		Plastic card	Up to 1.4 mm ^{*3}
			Color*5	
		ADF	Grayscale*5	Simplex: 75 ppm (200/300 dpi)
	Scanning		Monochrome*6	- F FF (· · · · · · · · · · · · · · · · ·
	speed *4		Color*5	
	(A4 Landscape)	Flatbed	Grayscale*5	0.6 Seconds (200/300 dpi)
		Hatbea	Monochrome*6	0.0 Seconds (200/300 apr)
ŀ			Color*5	
		ADE		Simplex: 58 ppm (200/300 dpi)
	Scanning	ADF Flatbed	Grayscale*5	
	speed *4 (A4 Portrait)		Monochrome*6	
			Color*5	
			Grayscale*5	0.9 seconds (200/300 dpi)
			Monochrome*6	
Paper chute capacity (A4 Landscape)*7				300 sheets (A4: 80 g/m² or 20 lb)
	Background colors ADF			White / Black (switching with command available)
	Dackgroun	d colors	Flatbed	White (switching to optional black available)
	Optical res	Optical resolution		600 dpi
	Color (24-bit)			
	Output reso	lution*8	Grayscale (8-bit)	50 to 600 dpi (adjustable by 1 dpi increments), 1200 dpi (driver)*9
			Monochrome (1-bit)	
			Color	24-bit
	Output format Grayscale		Grayscale	8-bit
			Monochrome	1-bit
				4,096 levels (12-bit)
Interface				USB 3.1 Gen 1 / USB 3.0 / USB 2.0 / USB 1.1
Connector shape				Type B
Image processing functions			unctions	Multi image output, Automatic color detection, Blank page detection, Dynamic threshold (iDTC), Advanced DTC, SDTC, Error diffusion, De-Screen, Emphasis, Halftone, Dropout color (None /Red /Green /Blue / White /Saturation /Custom), sRGB output, Hole punch removal, Index tab cropping, Split image, De-Skew, Edge correction, Vertical streaks reduction, Cropping, Dither, Static threshold, Divide Long Page
Power requirements			S	AC 100 to 240 V ± 10%
	Dawar		Operating mode	55 W or less
	Power		Sleep mode	1.7 W or less
	consumption	UII	Auto Standby (Off) mode	0.35 W or less
	Operating		Temperature	5 to 35 °C (41 to 95 °F)
	Operating			
	Operating environme	nt	Relative humidity	20 to 80 % (Non-condensing)
	environme		Relative humidity	20 to 80 % (Non-condensing) 706 x 500 x 345 mm (27.8 x 19.7 x 13.6 in.)
	environme Dimensions			706 x 500 x 345 mm (27.8 x 19.7 x 13.6 in.)
	environme	: Width x	Relative humidity Depth x Height*10	706 x 500 x 345 mm (27.8 x 19.7 x 13.6 in.) 35 kg (77.2 lb) PaperStream IP driver (TWAIN/TWAIN x64/ISIS), Software Operation Panel, Error Recovery Guide, PaperStream Capture, ScanSnap Manager for fi Series 11, Scan to Microsoft SharePoint 12, ABBYY FineReader for
	environmen Dimensions Weight Included so	: Width x	Relative humidity Depth x Height*10 drivers	706 x 500 x 345 mm (27.8 x 19.7 x 13.6 in.) 35 kg (77.2 lb) PaperStream IP driver (TWAIN/TWAIN x64/ISIS), Software Operation Panel, Error Recovery Guide, PaperStream Capture, ScanSnap Manager for fi Series*11, Scan to Microsoft SharePoint*11, ABBYY FineReader for ScanSnap*11, Scanner Central Admin
	environme Dimensions Weight	: Width x	Relative humidity Depth x Height*10 drivers	706 x 500 x 345 mm (27.8 x 19.7 x 13.6 in.) 35 kg (77.2 lb) PaperStream IP driver (TWAIN/TWAIN x64/ISIS), Software Operation Panel, Error Recovery Guide, PaperStream Capture, ScanSnap Manager for fi Series 11, Scan to Microsoft SharePoint 12, ABBYY FineReader for

Stacker, ADF paper chute, AC cable, AC adapter, USB cable, Setup DVD-ROM

Lifetime: Every 250,000 sheets or one year

These rollers feed documents into the scanner.

Lifetime: Every 250,000 sheets or one year. These rollers separate documents as they are being fed into the scanner

■Options

	Description	Parts number	Comments				
	Black Document Pad	PA03338-D960	Black flatbed background pads which can be easily replaced by users.				
2D Barcode for PaperStream		PA43404-A433	This option enables the scanner to recognize 2D Barcode. (PDF417, QR code, Data Matrix, Aztec Code)				
■Consumables							
	Description	Parts number	Comments				

Included items

■ Trademarks

- ABBYY and FineReader are trademarks of ABBYY Software, Ltd. which may be registered in some jurisdictions
- ISIS is a registered trademark of EMC Corporation in the United States

Brake Roller

Pick Roller

- * Microsoft, Windows and Windows Server are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.
- * Other company names and product names are the registered trademarks or trademarks of the respective companies.

PA03740-K010

PA03740-K011

▲ Safety Precautions

- Be sure to carefully read all safety precautions prior to using this product and use this device as
 instructed.
- be sure to taletany least an askey, proceedings to the form of the form o



PFU Limited, a Fujitsu company, has determined that this product meets the ENERGY STAR® guidelines for energy efficiency. ENERGY STAR® is a registered trademark of the United States.

Visit the fi Series web site for ordering and purchasing information

http://imagescanner.fujitsu.com